

MK-1495BT

Bluetooth 2D Barcode Scanner



Σχεδιασμένο για να ανταποκρίνεται σε διάφορες ανάγκες σάρωσης και σε εντατική χρήση.

× ×
× ×
× ×
× ×

- Κατασκευασμένο από υλικό ABS+TPU,
- × × • Ανθεκτικό στους κραδασμούς και στις πτώσεις
- × × • Συνεχίζει να λειτουργεί και μετά από πτώση
- × × • Τα κουμπιά υψηλής ανάκαμψης είναι άνετα και εύκολα στη σάρωση.

2D Bluetooth

“Δεν θα επηρεάσει τη χρήση εάν πέσει από την επιφάνεια εργασίας κατά την λειτουργία του”.

[KSG]



MK-1495BT

Features

Performance Parameter

Light Source	LED White light		
Aiming Light	Green Dot		
Image Sensor	1280*800 pixels		
CPU	1.2G Dual-core		
Image Speed	60FPS		
Resolution(maximum)	4mil		
Minimum Print Contrast	20% Reflection Difference		
Image Field of View	Horizontal: 50°; Vertical: 38°		
Reading Angle	Pitch: 0-360°; Roll(Tilt): +60°; Skew (Yaw): +60°		
Decoding Capability	1D	All standard 1D codes including GS1 DataBar™ linear code can be automatically distinguished and decoded.	
	2D	Aztec Code; Data Matrix; Maxi Code; QR Code; HAN XIN; Micro QR Code	
	Stack code	GS1 DataBar Expanded Stacked; GS1 DataBar Stacked; GS1 DataBar Stacked Omnidirectional; GS1 DataBar Composite; MicroPDF417; PDF417	
Reading Indicators	LED light&Buzzer(adjustable tone and volume)		
Typical depth of Field	Precision	Barcode	Depth of Field
	3.34mil	CODE128	60mm-160mm
	5mil	CODE128	65mm-230mm
	3.34mil	EAN-13	60mm-150mm
	5mil	EAN-13	70mm-230mm
	13.34mil	EAN-13	40mm-450mm
	5mil	PDF417	65mm-210mm
	10mil	DM	30mm-260mm
	20mil	DM	20mm-480mm

MK-1495BT

Wireless 2.4G and Bluetooth interface



Electrical Parameter

Current Input Voltage	5 VDC (+/- 10%)/500mA
Environmental Parameter	
ESD protection	8 kV
Drop resistance	Withstands repeated drops from 1.2m/4.0 ft onto a concrete surface.
Temperature	Working: -10 to 50 °C Storage/Transport: -20 to 70 °C
Humidity(non- condensing)	5-95%
Ambient light	Indoor: 0 to 6,000 lux; Outdoor: 0 to 100,000 lux
Cordless Parameter	
Transmission Mode	Wireless 2.4G and Bluetooth interface
Transmission Distanc	2.4G is 100m, Bluetooth is 50m in open space
Battery Capacity	2000mAh
Working Time	It can continuous working over 12 hours
Charging time	4-5HOURS